

# Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1)

## Specifications

Brand	Bitzer
Type	HSK6451-50-40P (x2) & HSK5361-40 (x1)
Refrigerant	Freon
kW at 0°C/+40°C	333,1
kW at -5°C/+40°C	274,1
kW at -10°C/+40°C	224,1
kW at -20°C/+40°C	145,0
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	120
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	50 Hz - 398 m <sup>3</sup> /h & 60 Hz - 478 m <sup>3</sup> /h
Package / Rack	✓



---

Sizes	3750x1450x2100 mm (LxWxH)
Stock	1

---

## Description

### **Used Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1)**

Used Bitzer HSK6451-50-40P (x2) & HSK5361-40 (x1) semi-hermetic screw compressor rack on Freon. Complete with Compactos Frigorificos RLV-120 liquid receiver with a volume of 120 liter, Bitzer OA4088 oil separator with a volume of 88 liter, SWEP CB52-30HX oil cooler, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 398 m<sup>3</sup>/h at 50 Hz 478 m<sup>3</sup>/h at 60 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.













