

Mycom 250LUD-MX

Specifications

Brand	Mycom
Type	250LUD-MX
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	1530,7
kW at -20°C/+40°C	989
kW at -30°C/+40°C	602,7
kW at -40°C/+40°C	336,9
Electromotor Specs	315
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
Control panel	✓
Remarks	# Electromotor: 315 kW at 2960 RPM // Only 1666 running hours after overhauling in 05-2008!
Sizes	4700x1700x3150 mm (LxWxH)
Stock	1



Description

Used Mycom 250LUD-MX

Used Mycom 250LUD-MX ammonia compressor, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, condensing pressure switches, oil separator and control panel. This unit has a cooling capacity of 1530,7 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





