

Howden MK3D/XRV204165MVI/134

Specifications

| | |
|--------------------------|--|
| Brand | Howden |
| Type | MK3D/XRV204165MVI/134 |
| | 4 |
| Refrigerant | NH 3 (ammonia) |
| kW at -10°C/+40°C | 837,2 |
| kW at -20°C/+40°C | 562,3 |
| kW at -30°C/+40°C | 366,9 |
| kW at -40°C/+40°C | 220,2 |
| Electromotor Specs | 250 |
| Unloaded Start | ✓ |
| Capacity Control | ✓ |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Oil separator | ✓ |
| Control panel | ✓ |
| Remarks | Original y.o.b. 1994 / Rebuild date: 2002 // Electromotor: 250 kW at 2965 RPM |
| Package / Rack | ✓ |
| Stock | 1 |



Description

Used Howden MK3D/XRV204165MVI/134

Used Howden MK3D/XRV204165MVI/134 package rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, oil separator and control panel. This unit has a cooling capacity of 837,2 kW at -10°C/+40°C.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.











