

Grasso RC 86 (x3) & RC 66 (x1)

Specifications

Brand	Grasso
Туре	RC 86 (x3) & RC 66 (x1)
Refrigerant	Freon
kW at +10°C/+40°C	1168,5
kW at 0°C/+40°C	798,7
kW at -5ºC/+40ºC	648,0
kW at -10°C/+40°C	517,5
kW at -20°C/+40°C	310,5
kW at -30°C/+40°C	165,0
Electromotor Specs	55
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Pressure gauges	/
Hp/Lp/Op	
Liquid receiver	/
Oil separator	/
Control panel	/
m3 / h	1215
Remarks	Original Capacity 638 kW
	at -7ºC/+35ºC
Remarks	R404a - R22 or other
	freon types
Package / Rack	/
Stock	1



Description

Used Grasso RC 86 (x3) & RC 66 (x1)

Used Grasso RC 86 (x3) & RC 66 (x1) reciprocating compressor rack on Freon. This compressor unit has 3 Electromotor Rotor XF250M04 (55 kW at 1475 RPM),, Liquid Receiver Grasso 92.52.184, Oil Separator Van Run and 2x Hermetic CAM 2/4 pumps. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.































Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment









Your partner for used commercial and industrial refrigeration equipment

