

Bitzer 4N-20.2Y-40P (x4) Cool/freeze installation

Specifications

Brand	Bitzer
Туре	4N-20.2Y-40P (x4)
	Cool/freeze installation
Refrigerant	Freon
Refrigerant type	R 404 A or other types
kW at 0°C/+40°C	183.2
kW at -5°C/+40°C	152
kW at -10ºC/+40ºC	124.8
kW at -20ºC/+40ºC	81.2
kW at -30°C/+40°C	49.2
On steel base frame	/
Pressure gauges	/
Hp/Lp/Op	
Liquid receiver	/
Oil separator	/
Oil level system AC&R	✓
Liquid line filter drier	/
Sight Glass	/
Control panel	/
Package / Rack	/
Stock	1



Description

Used Bitzer 4N-20.2Y-40P (x4) Cool/freeze installation

Used, well maintained cool/freeze installation constisting of Bitzer 4N-20.2Y-40P (x4) (Semi-hermetic Reciprocating piston Compressor) Refrigerant, Freon. Mounted on frame, including all exsisting components. Our capacity table is based on the used type of Freon. You can also use these compressors on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and



Your partner for used commercial and industrial refrigeration equipment

industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.


HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237



Your partner for used commercial and industrial refrigeration equipment







info@hosbv.com