

Climaveneta BRE027M

Specifications



Brand	Climaveneta
Type	BRE027M
Product type	Air Cooled Condenser
kW	26.6
Number of Fans	1
RPM of the Fans	860
Refrigerant	Freon
Air Flow in m ³ /h	7200
Sizes	1360x1070x580mm (LxWxH)
Weight	102
Stock	1



Description

Used Climaveneta BRE027M

Used but in good condition Remote condensor Climaveneta type BRE027M.0058 for R410A with 1 fan at 860 RPM , YOB 2014. For all the other specs, see the picture of the manufacturer model plate or the attached pdf file (if available) "*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optional we can arrange shipment and export documents."





Your partner for used commercial and industrial refrigeration equipment

I-BRE / BASIC		014m	022m	027m	044m	051m	054b	065b
Power supply		V/ph/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
PERFORMANCE								
NOMINAL SPECIFICATIONS								
Rated capacity	(1)	kW	13,4	21,7	26,8	43,5	50,4	65,1
No. Circuits		N°	1	1	1	1	1	2
Total power input	(1)	kW	0,17	0,64	0,64	1,28	1,28	1,92
FANS								
Air flow		m³/h	5000	8200	7200	16400	15200	24600
NOISE LEVEL								
Noise Pressure Level	(2)	dB(A)	40	48	48	49	49	51
SIZE AND WEIGHT								
Dimension A	(3)	mm	1240	1360	1360	2360	2360	3360
Dimension H	(3)	mm	764	1070	1070	1070	1070	1070
Dimension B	(3)	mm	464	580	580	580	580	580
Weight	(3)	kg	72	85	102	137	153	191

I-BRE / BASIC		055m	076b	100b	116b	134b	190b
Power supply		V/ph/Hz	230/1/50	230/1/50	230/1/50	230/1/50	400/3/50
PERFORMANCE							
NOMINAL SPECIFICATIONS							
Rated capacity	(1)	kW	53,3	76,2	100	116	134
No. Circuits		N°	1	2	2	2	2
Total power input	(1)	kW	1,92	1,92	2,56	3,20	3,20
FANS							
Air flow		m³/h	14400	22800	28800	38000	53000
NOISE LEVEL							
Noise Pressure Level	(2)	dB(A)	49	51	52	53	53
SIZE AND WEIGHT							
Dimension A	(3)	mm	2360	3360	4360	5360	4815
Dimension H	(3)	mm	1070	1070	1070	1070	1325
Dimension B	(3)	mm	580	580	580	580	965
Weight	(3)	kg	167	213	302	339	550

Notes:
1 Exchanger air (in) 35 °C, ΔT = 13 K
2 Sound pressure measured at 10 m in open field conditions
3 Unit in standard configuration/execution, without optional accessories.