

Goedhart VCI Z 125010 E

Specifications


Brand	Goedhart
Type	VCI Z 125010 E
kW	24.4
Refrigerant	CO2
Number of Fans	2
Fin Space in mm	10
Defrosting	Electric
m ³ /h	13.907
Sizes	2456x1030x720mm (LxWxH)
Remarks	Y.O.B. 2006
Remarks	137m ² , Fan: 50Hz, 1.15A 1050RPM
Volume	47dm ³
Weight	275kg
Stock	2



Description

Used Goedhart VCI Z 125010 E

Used but in good condition Goedhart type VCI Z 125010 E with 24.4kW, 13.907m³/h, 137m², 47dm³, weight 275kg. Fan: 50Hz, 1.15A 1050RPM, YOB 2006.



Goedhart
Refrigerating Equipment

Sint-Maartensdijk, Holland Tel. +31(0)166 665 665 Fax: +31(0)166 663 698 E-mail: info@goedhart.nl

Man. no. : PJV061652, VK0601500

Type : VCI-Z 125010 E

Number : 1 of 1 Year : 2006

Client ref. : -

M : 300 kg TS : - °C




V : 53 dm³ PS : 28.0 bar

PT : 40.0 bar

Fluid : -

Manufactured by Goedhart Bohemia CZ

K404A, SNH-Apico (3000 mm ³ / ton)										Dimensions										Connections								
R404A																				Refrigerant								
Type	Type VCI					Air volume	Internal volume	Surface	Weight											In	Unit	Hot gas	Air flow**					
	Q _{max} 0°C (kW)	Q _{max} 5°C (kW)	Q _{max} 10°C (kW)	Q _{max} 15°C (kW)	Q _{max} 18°C (kW)					L	B	H	C	E	E1	E2	E3	D1	D2									
	kW	kW	kW	kW	kW	m ³ /h	dB(A)	m ²	kg	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	m			
2x	6.2.40.10	8.9	6.4	6.903	57.0	48	17	131	1856	740	620	600	1456	928	12	22	19	20	12	22	19	20	12	22	19	20		
	8.2.40.10	10.7	7.8	6684	57.0	64	22	152	1856	840	620	620	1456	928	12	22	19	20	12	22	19	20	12	22	19	20		
	1.2.40.10	12.3	8.8	6468	57.0	80	28	172	1856	940	620	600	1456	928	12	28	19	20	12	28	19	20	12	28	19	20		
	6.2.45.10	12.9	9.2	10503	58.9	66	23	159	2056	710	720	600	1656	1028	12	28	19	22.5	1028	12	28	19	22.5	1028	12	28	19	22.5
	8.2.45.10	15.4	11.2	10121	58.9	88	30	185	2056	810	720	700	1656	1028	16	28	19	22.5	1028	16	28	19	22.5	1028	16	28	19	22.5
	1.2.45.10	18.0	12.8	9758	58.9	110	38	212	2056	910	720	800	1656	1028	16	28	19	22.5	1028	16	28	19	22.5	1028	16	28	19	22.5
	6.2.50.10	16.9	12.4	14751	61.7	82	29	212	2456	830	720	700	2056	1228	16	28	19	25	1228	16	28	19	25	1228	16	28	19	25
	8.2.50.10	21.0	15.0	14314	61.7	110	38	244	2456	930	720	800	2056	1228	16	35	19	25	1228	16	35	19	25	1228	16	35	19	25
	1.2.50.10	24.4	17.4	13907	61.7	137	47	275	2456	1030	720	900	2056	1228	16	35	19	25	1228	16	35	19	25	1228	16	35	19	25
	6.2.56.10	24.7	17.8	20813	65.4	121	42	282	2656	930	920	800	2256	1328	16	35	19	27.5	1328	16	35	19	27.5	1328	16	35	19	27.5
8.2.56.10	29.8	20.5	20304	65.4	161	55	326	2656	1030	920	900	2256	1328	16	35	19	27.5	1328	16	35	19	27.5	1328	16	35	19	27.5	
1.2.56.10	34.5	24.0	19842	65.4	201	69	370	2656	1130	920	1000	2256	1328	16	42	35	27.5	1328	16	42	35	27.5	1328	16	42	35	27.5	
6.2.63.10	31.9	22.8	25621	69.2	164	57	372	2856	945	1120	800	2456	1428	16	42	35	27.5	1428	16	42	35	27.5	1428	16	42	35	27.5	
8.2.63.10	37.8	27.6	23210	69.2	219	75	429	2856	1045	1120	900	2456	1428	16	42	35	27.5	1428	16	42	35	27.5	1428	16	42	35	27.5	





Your partner for used commercial and
industrial refrigeration equipment
