

Sabroe SMC 112 L MK2

Specifications

Brand	Sabroe
Type	SMC 112 L MK2
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	1082
kW at 0°C/+40°C	715,1
kW at -5°C/+40°C	569,0
kW at -10°C/+40°C	444,6
Electromotor Specs	Schorch 50Hz / 45 kW / 1450 RPM
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Suction accumulator	✓
m3 / h	1460
Sizes	2450x1000x1900 mm
Stock	1



Description

Used Sabroe SMC 112 L MK2

Used Sabroe SMC 112 L compressor direct driven. Complete with electromotor Schorch 50Hz - 45 kW - 1450 RPM. Oil separator 115 ltr. Pressure safety switches and gauges. Cooling capacity based on booster conditions with 45 kW electromotor is -40°C/-10°C, 139 kW. Compressor can run as single cooling purpose condition with another capacity electromotor.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.



