

Delta FMT 3815

Specifications


| | |
|-------------------|---------------------------|
| Brand | Delta |
| Type | FMT 3815 |
| kW | 2,06 |
| Refrigerant | Freon |
| Number of Fans | 1 |
| Fin Space in mm | 7 |
| Defrosting | None |
| m ³ /h | 1750 |
| Sizes | 820x700x470 mm (LxWxH) |
| Remarks | YOB 2007 |
| Remarks | 9 m2 |
| Volume | 3 dm3 |
| Weight | 26 kg |
| Stock | 3 |



Description

Used Delta FMT 3815

Used Air cooler blowing on one side
Delta FMT 3815 with 2,06 kW and 1750m³/h, 9m² and 3dm³. YOB 2007
*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.





| MODEL | VERMOGEN | | VENTILATOREN | | | | |
|-----------------------|--------------------------------|---------------|--------------|----------------|-----------|----------------|-------------|
| | Nominaal Vermogen DT1=8K kW | Lucht m³/h | Aantal | Diameter mm | Worp m | Vermogen kW | Stroom A |
| - Lamelafstand 7 mm - | | | | | | | |
| FMT 3814 | 1,63 | 1850 | 1 | 350 | 14 | 0,11 | 0,48 |
| FMT 3815 | 2,06 | 1750 | 1 | 350 | 14 | 0,11 | 0,48 |
| FMT 3816 | 2,32 | 1600 | 1 | 350 | 14 | 0,11 | 0,48 |
| FMT 3818 | 2,67 | 1500 | 1 | 350 | 14 | 0,11 | 0,48 |
| FMT 3824 | 3,61 | 3700 | 2 | 350 | 14 | 0,22 | 0,96 |
| FMT 3825 | 4,13 | 3500 | 2 | 350 | 14 | 0,22 | 0,96 |
| FMT 3826 | 4,39 | 3200 | 2 | 350 | 14 | 0,22 | 0,96 |
| FMT 3828 | 5,61 | 3000 | 2 | 350 | 14 | 0,22 | 0,96 |
| FMT 3835 | 6,40 | 5250 | 3 | 350 | 14 | 0,33 | 1,44 |
| FMT 3836 | 7,03 | 4800 | 3 | 350 | 14 | 0,33 | 1,44 |
| FMT 3838 | 8,33 | 4500 | 3 | 350 | 14 | 0,33 | 1,44 |
| FMT 3846 | 9,58 | 6400 | 4 | 350 | 14 | 0,44 | 1,92 |
| FMT 3848 | 11,37 | 6000 | 4 | 350 | 14 | 0,44 | 1,92 |
| FMT 3856 | 11,73 | 8000 | 5 | 350 | 14 | 0,55 | 2,40 |
| FMT 3858 | 14,23 | 7500 | 5 | 350 | 14 | 0,55 | 2,40 |

Meerprijs EC [2 standen] uitvoering : 328,- per ventilator
 Meerprijs EC [0-10 V] uitvoering : 484,- per ventilator

| MODEL | ALGEMEEN | | | AFMETINGEN | | | | | AANSLUITINGEN | | |
|----------|-----------------|----------------|---------|------------|-----|------|----------------|-----|---------------|---------|---------|
| | Inhoud | Oppervlak | Gewicht | A | B | C | C ₁ | D | E | Intrede | Uitrede |
| | dm ³ | m ² | kg | mm | mm | mm | mm | mm | mm | " | " |
| FMT 3814 | 2,4 | 7,2 | 22 | 870 | 470 | 519 | — | 582 | 465 | 1/2 | 5/8 |
| FMT 3815 | 3,0 | 9,0 | 26 | 870 | 470 | 519 | — | 582 | 465 | 1/2 | 5/8 |
| FMT 3816 | 3,6 | 10,9 | 30 | 870 | 470 | 519 | — | 582 | 465 | 1/2 | 5/8 |
| FMT 3818 | 4,8 | 14,5 | 38 | 870 | 470 | 519 | — | 582 | 465 | 1/2 | 7/8 |
| FMT 3824 | 4,8 | 14,5 | 42 | 1370 | 470 | 1019 | — | 582 | 465 | 1/2 | 7/8 |
| FMT 3825 | 6,0 | 18,1 | 50 | 1370 | 470 | 1019 | — | 582 | 465 | 1/2 | 1 1/8 |
| FMT 3826 | 7,2 | 21,7 | 58 | 1370 | 470 | 1019 | — | 582 | 465 | 1/2 | 1 1/8 |
| FMT 3828 | 9,6 | 28,9 | 74 | 1370 | 470 | 1019 | — | 582 | 465 | 1/2 | 1 1/8 |
| FMT 3835 | 9,0 | 27,1 | 74 | 1870 | 470 | 1519 | — | 582 | 465 | 1/2 | 1 1/8 |
| FMT 3836 | 10,8 | 32,5 | 86 | 1870 | 470 | 1519 | — | 582 | 465 | 1/2 | 1 1/8 |
| FMT 3838 | 14,4 | 43,4 | 110 | 1870 | 470 | 1519 | — | 582 | 465 | 5/8 | 1 3/8 |
| FMT 3846 | 14,4 | 43,4 | 114 | 2370 | 470 | 2019 | — | 582 | 465 | 5/8 | 1 1/8 |
| FMT 3848 | 19,2 | 57,9 | 146 | 2370 | 470 | 2019 | — | 582 | 465 | 5/8 | 1 3/8 |
| FMT 3856 | 18,0 | 54,3 | 142 | 2870 | 470 | 2519 | — | 582 | 465 | 5/8 | 1 3/8 |
| FMT 3858 | 24,0 | 72,3 | 182 | 2870 | 470 | 2519 | — | 582 | 465 | 5/8 | 1 3/8 |