



---

## Dry cooler

### Güntner GFD 090.1D/2X4-MD1F/3P.E

---

Capacity:	<b>432,0 kW</b>	Medium:	<b>Ethylene glycol 34 Vol. %</b>
Air flow:	<b>139.000,0 m<sup>3</sup>/h</b>	Inlet:	<b>40,0 °C</b>
Air inlet:	<b>25,0 °C</b>	Outlet:	<b>35,0 °C</b>
Air outlet:	<b>34,7 °C</b>	Pressure drop:	<b>0,36 bar</b>
		Volume flow:	<b>81,3 m<sup>3</sup>/h</b>

---

Capacity:	<b>1003,0 kW</b>	Medium:	<b>Ethylene glycol 34 Vol. %</b>
Air flow:	<b>139.000,0 m<sup>3</sup>/h</b>	Inlet:	<b>60,0 °C</b>
Air inlet:	<b>25,0 °C</b>	Outlet:	<b>48,4 °C</b>
Air outlet:	<b>48,5 °C</b>	Pressure drop:	<b>0,33 bar</b>
		Volume flow:	<b>81,3 m<sup>3</sup>/h</b>

---

Fans:	<b>8 Pieces 3~400V 50Hz</b>
Speed:	<b>770 min<sup>-1</sup></b>
Capacity:	<b>1,8 kW</b>

---

Surface:	<b>3198,2 m<sup>2</sup></b>	Tubes:	<b>Copper</b>
Volume:	<b>389,2 dm<sup>3</sup></b>	Fins:	<b>Aluminium</b>
Fin spacing:	<b>2,4 mm</b>	Passes:	<b>3</b>
		Distributions:	<b>192</b>