

Bitzer Cooling Installation

Compressor unit:

Brand: Bitzer
Type: 4NCS-12.2 (x3)
Capacity p/c: 91,8 kW at -10°C/+40°C
Refrigerant: Freon
Including:
- Pressure safety switches
- Solenoid Valve
- Sight Glass
- Control Panel
y.o.b. 2004
Sizes: 2100x800x1960 mm (LxWxH)
Pieces: 1

Evaporator:

Brand: Helpman
Type: LEX 24
Capacity: 18,1 kW
Fan: Fan: 0,25 kW / 1410 RPM / Ø = 500 mm
Sizes: 1870x900x850 mm (LxWxH)
Pieces: 7

Condenser:

Brand: Helpman
Type: HTC-076.134-V-930
Capacity: 161,1 kW
Fan: Fan: 0,75 kW / 930 RPM / Ø = 750 mm
y.o.b. 2006
Sizes: 4900x1020x1150 mm (LxWxH)
Pieces: 1






Typ 4NCS-12.2Y-40P
SN: 1666405547

BITZER KÜHLMASCHINENBAU GMBH
Made in E.C.




Nennspannung V 3Ph~	Frequ. Hz	Betr.strom A (max.)	Anlaufstrom		Füllw. Öl Druck	
			A (Y)	A (YY)	mpa	psi
400	50	24,0	69	10	16,2	140
460	60	24,0	69	10	17,8	160

IP 65 ND/HD max. 19 / 28 bar

37852855 





HELPMAN

Apparatenfabriek Helpman BV
Peizerweg 97, 9727 AJ Groningen (NL)
Tel. ++31 50 5217555 / Fax ++31 50 5264878
info@helpman.com / www.helpman.com

Type	HTC-076.134-V-930-ALUM-4 CIRC.		
Serial number	556751-160402-71420		
Refrigerant	R22/R134a/R404A/R401B/R407C/R417A/R507A		
Design temp (TS)	-55/63 °C min/max	Voltage	230/400/50/3
Design pressure (PS)	-1/33 bar min/max	Year	2006
Total internal volume	49 l		
Weigth (empty)	492 kg		