

# Bock HGX7/1620-4 S (x1) + HGX6/1410-4 S (x1)

## Specifications

|                       |                                            |
|-----------------------|--------------------------------------------|
| Hersteller            | Bock                                       |
| Typ                   | HGX7/1620-4 S (x1) +<br>HGX6/1410-4 S (x1) |
| Kältemittel           | Freon                                      |
| kW at 0°C/+40°C       | 204,3                                      |
| kW at -5°C/+40°C      | 169,9                                      |
| kW at -10°C/+40°C     | 139,5                                      |
| kW at -20°C/+40°C     | 90,2                                       |
| kW at -30°C/+40°C     | 53,8                                       |
| Auf einem Stahlrahmen | ✓                                          |
| Druckschalter         | ✓                                          |
| Druckmanometer        | ✓                                          |
| Ölabscheider          | ✓                                          |
| Schauglass            | ✓                                          |
| m <sup>3</sup> / h    | 263                                        |
| Package / Rack        | ✓                                          |
| Größe                 | 2700x1400x1640 mm<br>(LxWxH)               |
| Stock                 | 1                                          |



## Description

### Used Bock HGX7/1620-4 S (x1) + HGX6/1410-4 S (x1)

Gebrauchte Bock-Kompressoreinheit mit folgenden Elementen: 1x halbhermetischer Bock HGX7/1620-4 S- und Bock HGX6/140-4 S-Kompressor. Ölabscheider, Ölreservoir und PHE.



