

DWM D6SH1-350x-AWM/D (2x) & D6SA1-300x-AWM/D (2x)

Specifications

Hersteller	DWM
Typ	D6SH1-350x-AWM/D (2x) & D6SA1-300x-AWM/D (2x)
Kältemittel	Freon
kW at 0°C/+40°C	300,9
kW at -5°C/+40°C	248,7
kW at -10°C/+40°C	203,5
kW at -20°C/+40°C	130,5
kW at -30°C/+40°C	76,8
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Flüssigkeitssammler	✓
Ölabscheider	✓
Power	50hz/60hz 3Ph
Package / Rack	✓
Größe	3300x1300x2200 mm (LxWxH)
Stock	1



Description

Used DWM D6SH1-350x-AWM/D (2x) & D6SA1-300x-AWM/D (2x)

Gebrauchtes DWM Copeland Kompressorgestell komplett mit 1 D6SH1-3500-AWM/D & D6SH1-350x-AWM/D (1x) & D6SA1-3000-AWM/D (1x) & D6SA1-300x-AWM/D Kolbenkompressoren, Flüssigkeitssammler, AC&R S-1903-CE Ölabscheider, Flüssigkeitsleitungsfilter, Friga Bohn RH 14 Ölbehälter und Drucksicherheitsschalter. Zwei Kompressoren werden 2009 und 2011 erneuert.





