

Sabroe SAB 128 HM MK4

Specifications

Hersteller	Sabroe
Typ	SAB 128 HM MK4
Kältemittel	NH 3 (ammonia)
kW at +10°C/+40°C	416,8*
kW at 0°C/+40°C	300,3*
kW at -5°C/+40°C	251,5*
kW at -10°C/+40°C	208,5*
kW at -20°C/+40°C	138,5*
kW at -30°C/+40°C	86,8*
kW at -40°C/+40°C	50,1*
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Ölabscheider	✓
Magnetventil	✓
Schaltschrank	✓
m ³ / h	303 / 365
Bemerkungen	Y.o.b. 2003
Bemerkungen	*Capacity based on a bigger electric motor
Größe	2200x1200x1600 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HM MK4

Gebrauchter Sabroe SAB 128 HM Schraubenkompressor auf NH₃. Komplet mit einem Leroy-Somer PLS180M-T Elektromotor - 50 Hz - 30 kW - 2935 U/min, Sabroe OHU 4119 D Ölabscheider mit einem Volumen von 270 Liter, Ölpumpe und einem Unisab 2 Display. Der Kompressor hat eine Verdrängung von 303 m³/h bei 2950 U/min und 365 m³/h bei 3550 U/min. *Kapazität basiert auf einem größeren Elektromotor.





