

Grasso M-3 / MB-3BG

Specifications

Hersteller	Grasso
Typ	M-3 / MB-3BG
Kältemittel	NH 3 (ammonia)
kW at 0°C/+40°C	637,0*
kW at -10°C/+40°C	350,0**
kW at -30°C/+40°C	165,0***
E-Motor Specs	50/60 Hz - 132/152 kW - 2970/3570 RPM
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Ölabscheider	✓
Schaltschrank	✓
m ³ / h	690,0
Bemerkungen	Y.o.b. 2001
Bemerkungen	Capacity based at: *(0°C/+35°C) - **(-15°C/+35°C) - ***(-35°C/+35°C)
Größe	3050x1200x2200 mm (LxWxH)
Stock	1



Description

Used Grasso M-3 / MB-3BG

Gebrauchte Grasso MB-3BG Kompressoreinheit auf NH₃. Komplette mit 1 Grasso M-3 Schraubenkompressor, Schorch KN7280M-AB01B-Z Elektromotor - 50/60 Hz - 132/152 kW - 2970/3570 U/min, Grasso 250/2000/2 Ölkühler, Grasso DM508 Ölabscheider mit Volumen von 275 Liter und ein Grasso GSC-Display. Der Kompressor hat eine Förderleistung von 690 m³/h.







