

Bitzer 4EES-4Y-40S Condensing unit

Specifications

Hersteller	Bitzer
Typ	4EES-4Y-40S Condensing unit
Kältemittel	Freon
kW at 0°C/+40°C	18,8
kW at -5°C/+40°C	15,6
kW at -10°C/+40°C	12,7
kW at -20°C/+40°C	8,3
kW at -30°C/+40°C	5,1
kW at -40°C/+40°C	2,8
kW at -45°C/+40°C	2,0
Auf einem Stahlrahmen	✓
m ³ / h	22,7 - 27,4
Bemerkungen	Y.o.b. 2014
Condensing Unit	✓
Größe	990x800x880 mm (LxWxH)
Stock	1



Description

Used Bitzer 4EES-4Y-40S Condensing unit

Gebrauchte Kondensatoreinheit auf Freon. Komplet mit einem halbhermetischen Kolbenkompressor Bitzer 4EES-4Y-40S, einem Kondensator mit einem Ziehl-Abegg FB045-4EK.4F.V4L-Lüfter, einem Flüssigkeitssammler Bitzer FS76 mit einem 7,8-Liter-Flüssigkeitsleitungsfiltertrockner sowie Druck- und Sicherheitsschaltern . Der Kompressor hat eine Fördermenge von 22,7 m³/h bei 50 Hz und 27,4 m³/h bei 60 Hz.





