

DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit

Specifications

Hersteller	DWM
Typ	D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit
Kältemittel	Freon
kW at -10°C/+40°C	141,6
kW at -20°C/+40°C	94,8
kW at -30°C/+40°C	60,2
Auf einem Stahlrahmen	✓
Druckmanometer	✓
Flüssigkeitsabscheider	✓
Flüssigkeitsfilter	✓
Magnetventil	✓
Schaltschrank	✓
m ³ / h	253,8
Bemerkungen	Y.o.b. 2010
Condensing Unit	✓
Größe	4100x1100x2050 mm (LxWxH)
Stock	1



Description

Used DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Condensing unit

Gebrauchte DWM D6DT5-320X-AWM/D (x1) & D6DJ4-400X-AWM/D (x1) Verflüssigungssatz. Komplet mit einem Helpman HBX 8-335/2KSG Rohrbündel als Kondensator, Saugspeicher, Druck- und Sicherheitsmessgeräten, Flüssigkeitsleitungsfiltertrockner und einem Schaltschrank. Die Kompressoren haben eine Gesamtverdrängung von 253,8 m³/h.





