

Bitzer 6G-40.2Y-40P

Specifications

Hersteller	Bitzer
Typ	6G-40.2Y-40P
Kältemittel	Freon
kW at 0°C/+40°C	102,6
kW at -5°C/+40°C	85,4
kW at -10°C/+40°C	70,3
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	14,9
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Ölabscheider	✓
Ölniveauregelung AC&R	✓
Flüssigkeitsfilter	✓
Schauglass	✓
m ³ / h	126,8 - 153,1
Bemerkungen	Y.o.b. 2010
Größe	1550x900x950 mm (LxWxH)
Stock	1



Description

Used Bitzer 6G-40.2Y-40P

Gebrauchter halbhermetischer Kolbenkompressor Bitzer 6G-40.2Y-40P auf Freon mit Schauglas. Komplett mit Druck- und Sicherheitsschalter, Ölabscheider und Filtertrockner für die Flüssigkeitsleitung. Der Kompressor hat eine Förderleistung von 126,8 m³/h bei 1450 U/min und 153,1 m³/h bei 1750 U/min.



