

Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Specifications

Hersteller	Bitzer
Typ	4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)
Kältemittel	Freon
kW at 0°C/+40°C	47,7
kW at -5°C/+40°C	38,5
kW at -10°C/+40°C	30,6
kW at -20°C/+40°C	18,3
Auf einem Stahlrahmen	✓
Kondensationsdruckregler	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	50 Hz - 97,5 m ³ /h / 60 Hz - 117,6 m ³ /h
Bemerkungen	Y.o.b. 2010
Package / Rack	✓
Größe	1930x900x1350 mm (LxWxH)
Stock	1



Description

Used Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Gebrauchte halbhermetische Kolbenkompressoranlage Bitzer 4CC-6.2Y-40S (x2) und 4CC-6.F1Y-40S (x1) auf Freon. Komplett mit Verflüssigungsdruckschaltern und einem Bedienfeld mit einem Danfoss-Controller. Die Kompressoren haben eine Gesamtverdrängung von 97,5 m³/h bei 50 Hz und 117,6 m³/h bei 60 Hz.





