

Copeland ZB30KCE-TFD-551 (x3) Condensing unit

Specifications

Hersteller	Copeland
Typ	ZB30KCE-TFD-551 (x3) Condensing unit
Kältemittel	Freon
kW at +10°C/+40°C	45,0
kW at 0°C/+40°C	31,4
kW at -5°C/+40°C	25,9
kW at -10°C/+40°C	21,2
kW at -20°C/+40°C	13,7
Auf einem Stahlrahmen	✓
Druckmanometer	✓
Flüssigkeitssammler	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Schaltschrank	✓
m3 / h	50 Hz - 34,6 m³/h / 60 Hz - 42,3 m³/h
Condensing Unit	✓
Größe	2150x1800x1250 mm (LxWxH)
Stock	1



Description

Used Copeland ZB30KCE-TFD-551 (x3) Condensing unit

Gebrauchte Copeland ZB30KCE-TFD-551(x3) Verflüssigungseinheit auf Freon. Komplet mit einem Kondensator mit 2 Ventilatoren Profroid CM29G/T - 50 Hz - 150/55 W - 400/300 U/min, Ölabscheider, Ölbehälter, Flüssigkeitssammler, gelötetem Wärmetauscher und einem Schaltschrank mit einem Danfoss-Controller. Die Kompressoren haben eine Gesamtverdrängung von 50 Hz - 34,6 m³/h und 60 Hz - 42,3 m³/h.









