

York / Frick GSV 50 / TDSH 163 S

Specifications

Hersteller	York / Frick
Typ	GSV 50 / TDSH 163 S
Kältemittel	NH 3 (ammonia)
kW at -40°C/+40°C	91,1*
E-Motor Specs	50 Hz - 110 kW - 2960 RPM
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Ölabscheider	✓
Schauglass	✓
m3 / h	769
Bemerkungen	*Capacity based on -40°C/+35°C
Bemerkungen	Y.o.b. 2008
Größe	1500x3800x2100 mm (LxWxH)
Stock	1



Description

Used York / Frick GSV 50 / TDSH 163 S

Gebrauchte York / Frick GSV 50 / TDSH 163 S Kompressoreinheit für NH3 (Ammoniak). Komplette mit York / Frick GSV 50 / TDSH 163 S Schraubenkompressor, Schorch KN5250M-AB014-051 Elektromotor, Brown Boveri OAS 508/30 Ölabscheider, Brown Boveri WT0G219/20/30/1/87 Ölkühler, Rickmeier Ölpumpe und Schaltschrank. Der Kompressor hat eine Förderleistung von 769 m³/h.







