


DWM 6CC 75L Condensing Unit

Specifications

Hersteller	DWM
Typ	6CC 75L Condensing Unit
Kältemittel	Freon
kW at +10°C/+40°C	134,9
kW at 0°C/+40°C	92,7
kW at -5°C/+40°C	78,2
kW at -10°C/+40°C	60,6
kW at -20°C/+40°C	36,7
kW at -30°C/+40°C	19,1
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Ölabscheider	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	126,8 m ³ /h - 1450 RPM
Bemerkungen	Y.o.b. 1997
Condensing Unit	✓
Größe	4250x1680x2140 mm (LxWxH)
Stock	1



Description

Used DWM 6CC 75L Condensing Unit

Gebrauchte DWM Copeland 6CC 75L Verflüssigungseinheit auf Freon. Dieses Gerät hat auch die Funktion eines Kühlers. Komplett mit 2 Helpman TC 4-6-A-Kondensatoren mit 6 Lüftern, Ölabscheider, Grundfos Wasserpumpe, Plattenwärmetauscher, Druck- und Sicherheitsschaltern/-messgeräten, Filtertrockner für Flüssigkeitsleitungen und einem Bedienfeld.



