

Bitzer 4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)

Specifications

Hersteller	Bitzer
Typ	4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)
Kältemittel	Freon
kW at -5°C/+40°C	133,1
kW at -10°C/+40°C	114,3
kW at -20°C/+40°C	74,1
kW at -30°C/+40°C	44,6
kW at -40°C/+40°C	23,2
kW at -45°C/+40°C	14,9
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	210,5 m ³ /h - 1450 RPM & 253,9 m ³ /h - 1750 RPM
Bemerkungen	Y.o.b. 2012
Package / Rack	✓
Größe	2750x900x1950 mm (LxWxH)
Stock	1



Description

Used Bitzer 4PCS-10.2Y-40P (x3) & 4CC-6.2Y-40S (x2)

Gebrauchtes Bitzer-Kompressorgestell auf Freon. Komplett mit halbhermetischen Kolbenkompressoren 4PCS-10.2Y-40P (x3) und 4CC-6.2Y-40S (x2) von Bitzer, Filtertrockner für Flüssigkeitsleitungen, Druck- und Sicherheitsschaltern, Schaugläsern und einem Steuerkasten mit zwei Danfoss-Displays.





