

Sabroe SAB 128 HF MK4 man VI

Specifications

Hersteller	Sabroe
Typ	SAB 128 HF MK4 man VI
Kältemittel	Freon
kW at +10°C/+40°C	538,5
kW at 0°C/+40°C	383,5
kW at -5°C/+40°C	320,3
kW at -10°C/+40°C	265,1
kW at -20°C/+40°C	227,0
kW at -30°C/+40°C	152,2
kW at -40°C/+40°C	94,9
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckmanometer	✓
Ölabscheider	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	455,0
Bemerkungen	Y.o.b. 2005
Größe	2400x1400x2050 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HF MK4 man VI

Gebrauchte Sabroe SAB 128 HF Schraubenkompressoreinheit auf Freon. Komplette mit einem Leroy Somer Elektromotor - 50 Hz - 132 kW - 2975 U/min, Sabroe OHU 4119 D Ölabscheider mit einem Volumen von 270 Litern, HS Cooler 0WRF 1210A2 Ölkühler, Ölpumpe und einem Schaltschrank. Der Kompressor hat eine Förderleistung von 455 m³/h bei 50 Hz.







