

Mycom C6 HK

Specifications

Hersteller	Mycom
Typ	C6 HK
Kältemittel	CO2
Refrigerant type	R744
kW at -30°C/+40°C	480,0*
kW at -40°C/+40°C	300,0*
kW at -45°C/+40°C	250,0*
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Ölabscheider	✓
Ölniveauregelung AC&R	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Magnetventil	✓
m ³ / h	239 m ³ /h - 1800 RPM
Bemerkungen	Y.o.b. 2017
Bemerkungen	*Capacities are based on a condensing temperature of -10°C and 1450 RPM
Größe	1870x1400x2200 mm (LxWxH)
Stock	1



Description

Used Mycom C6 HK

Gebrauchter offener Mycom C6HK-Kolbenkompressor mit CO₂-Versorgung. Komplet mit einem Elektromotor Leroy Somer PLS250MP-T (50/60 Hz, 90/103 kW, 1469/1771 U/min), einem Ölabscheider Mayekawa MAA 2565-40 (58 Liter) und Druckschaltern/-manometern. Die Leistungsangaben basieren auf einer Verflüssigungstemperatur von -10 °C und 1450 U/min.





