

Sabroe SAB 128 HR MK4

Specifications

Hersteller	Sabroe
Typ	SAB 128 HR MK4
Kältemittel	Freon
kW at +10°C/+40°C	836,6
kW at 0°C/+40°C	580,1
kW at -5°C/+40°C	476,9
kW at -10°C/+40°C	388,2
kW at -20°C/+40°C	294,4
kW at -30°C/+40°C	184,5
kW at -40°C/+40°C	106,6
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Ölabscheider	✓
Magnetventil	✓
Schaltschrank	✓
m ³ / h	106 m ³ /h at 1000 RPM & 615 m ³ /h at 6000 RPM
Bemerkungen	Y.o.b. 2009
Größe	3100x1170x2020 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HR MK4

Gebrauchter Sabroe SAB 128 HR MK4 Rotatune Schraubenkompressor für R717 (Ammoniak). Komplett mit einem Schorch LN3225M-AB81T-Z Elektromotor (5-101 Hz / 6-132 kW / 247-6005 U/min), Sabroe OHU 4119D Ölabscheider, Sabroe OOSI 21142A Ölkühler, zwei Sabroe OF 1606 Ölfiltern, Ölpumpe, Schaltschrank mit Unisab 3 und Vacon Frequenzumrichter. Der Kompressor hat eine Förderleistung von 106 m³/h bei 1000 U/min und 615 m³/h bei 6000 U/min.









