

Bitzer HSN6461-50-40P (x2)

Specifications

Hersteller	Bitzer
Typ	HSN6461-50-40P (x2)
Kältemittel	Freon
kW at -20°C/+40°C	165,6
kW at -30°C/+40°C	114,4
kW at -40°C/+40°C	75,0
kW at -45°C/+40°C	59,0
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Ölabscheider	✓
Schauglass	✓
Magnetventil	✓
m ³ / h	330 m ³ /h at 2900 RPM & 396 m ³ /h at 3500 RPM
Package / Rack	✓
Größe	1320x2850x1650 mm (LxWxH)
Stock	1



Description

Used Bitzer HSN6461-50-40P (x2)

Gebrauchte halbhermetische Schraubenkompressoren Bitzer HSN6461-50-40P (x2) mit Freon-Betrieb. Komplett mit einem Onda OVS 120/1 Ölabscheider mit 120 Litern Volumen, Druck- und Sicherheitsschaltern/-manometern, zwei gelöteten Wärmetauschern als Economizer, Lastanlauf, Leistungsregelung und Schaltschrank. Die Kompressoren haben eine Gesamtförderleistung von 330 m³/h bei 2900 U/min und 396 m³/h bei 3500 U/min.





