

Bitzer 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)

Specifications

Hersteller	Bitzer
Typ	4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)
Kältemittel	CO2
Refrigerant type	R744
kW at -10°C/+40°C	174,2*
kW at -20°C/+40°C	118,7*
kW at -30°C/+40°C	13,6**
kW at -40°C/+40°C	8,2**
Bemerkungen	*Capacity based on the 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) compressors and a condensing temperature of 10°C
Bemerkungen	**Capacity based on the 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1) compressors at a condensing temperature of 0°C
Bemerkungen	Y.o.b. 2013



Package / Rack	✓
Größe	850x3180x2120 mm (LxWxH)
Stock	1

Description

Used Bitzer 4HTC-20KI-40S (x1) & 4FTC-20KI-40P (x2) & 2KHC-05KB-40S (x1) & 2HHC-2KB-40S (x1)

Gebrauchte Carrier MINI CCP335-3000+BCM230-3BD0 Kompressoranlage für CO2 (R744).
Komplett mit 1x Bitzer 4HTC-20KI-40S & 2x 4FTC-20KI-40P & 1x 2KHC-05KB-40S & 1x 2HHC-2KB-40S halbhermetischen Kolbenkompressoren. Komplett mit einem Behälter, einem gelöteten Alfa Laval AXP52-72H-Wärmerückgewinnungswärmetauscher, Druck- und Sicherheitsschaltern/-manometern, einem Schaltschrank mit zwei Frequenzumrichtern und Bedienfeldern.









