

Carlyle / Carrier 06 VM 721 E Condensing Unit

Specifications

Hersteller	Carlyle / Carrier
Typ	06 VM 721 E Condensing Unit
Kältemittel	Freon
kW at +10°C/+40°C	34,2 (+7,5°C/+40°C)
kW at 0°C/+40°C	25,7
kW at -5°C/+40°C	21,0
kW at -10°C/+40°C	17,1
kW at -20°C/+40°C	10,9
kW at -30°C/+40°C	6,4
kW at -40°C/+40°C	2,8
Druckschalter	✓
Ölabscheider	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	32,8 m ³ /h - 50 Hz
Condensing Unit	✓
Größe	1200x900x520 mm (LxWxH)
Stock	1



Description

Used Carlyle / Carrier 06 VM 721 E Condensing Unit

Gebrauchte wassergekühlte Verflüssigungsanlage von Carrier mit Freon-Kühlung. Komplett mit einem halbhermetischen Hubkolbenverdichter Carrier 06 VM 721 E, einem Rohrbündelverflüssiger Bitzer K203H, Ölabscheider, Druck- und Sicherheitsschaltern sowie einem Schaltschrank. Der Verdichter hat eine Förderleistung von 32,8 m³/h bei 50 Hz.





