

# Bitzer 4PC-15.2Y-40P (x2) / 44PC-30.2-40P

## Specifications

Hersteller	Bitzer
Typ	4PC-15.2Y-40P (x2) / 44PC-30.2-40P
Kältemittel	Freon
kW at 0°C/+40°C	79,9
kW at -5°C/+40°C	66,1
kW at -10°C/+40°C	54,1
kW at -20°C/+40°C	34,7
kW at -30°C/+40°C	20,4
kW at -40°C/+40°C	10,1
Leistungsregelung	✓
Druckschalter	✓
Schauglass	✓
Magnetventil	✓
m <sup>3</sup> / h	97 m <sup>3</sup> /h at 50 Hz & 117 m <sup>3</sup> /h at 60 Hz
Bemerkungen	Y.o.b. 2006
Gewicht in kg.	302
Größe	1300x500x400 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4PC-15.2Y-40P (x2) / 44PC-30.2-40P

Gebrauchter Bitzer 4PC-15.2Y-40P / 44PC-30.2Y-40P Tandem-Kolbenkompressor mit Freon-Betrieb. Komplett mit Leistungsregelung, Druck- und Sicherheitsschalter sowie Schauglas. Der Kompressor hat eine Förderleistung von 97 m<sup>3</sup>/h bei 50 Hz und 117 m<sup>3</sup>/h bei 60 Hz.



