

Sabroe HPO 28

Specifications

Hersteller	Sabroe
Typ	HPO 28
Kältemittel	CO2
Refrigerant type	R744
kW at -20°C/+40°C	611,4*
kW at -30°C/+40°C	418,1*
kW at -40°C/+40°C	271,1*
E-Motor Specs	50 Hz - 132 kW - 1487 RPM
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Ölabscheider	✓
Schauglass	✓
Magnetventil	✓
Schaltschrank	✓
m ³ / h	233
Bemerkungen	Y.o.b. 2012
Bemerkungen	*Capacity based on a condensing temperature of 0°C
Größe	2500x950x1700 mm (LxWxH)
Stock	2



Description

Used Sabroe HPO 28

Gebrauchter Sabroe HPO 28 Kolbenkompressor für Kältemittel R744 (CO₂). Komplet mit einem ABB M2BAT 315 SMB 4 Elektromotor (50 Hz, 132 kW, 1487 U/min), einem Sabroe OVUR 4113D Ölabscheider (158 Liter) und einer Unisab 3 Steuerung. Der Kompressor hat eine Förderleistung von 233 m³/h. *Leistung basierend auf einer Verflüssigungstemperatur von 0 °C.





