

# Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

## Specifications

Hersteller	Bitzer
Typ	66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)
Kältemittel	Freon
kW at -5°C/+40°C	168,0
kW at -10°C/+40°C	138,6
kW at -20°C/+40°C	91,1
kW at -30°C/+40°C	55,8
kW at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Anlaufentlastung	✓
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Schauglass	✓
m <sup>3</sup> / h	253,6
Bemerkungen	Y.o.b. 2013 (s.nr: 1684613139)
Gewicht in kg.	491
Größe	1700x600x610 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1)

Gebrauchter halbhermetischer Bitzer 66G-60.2Y / 6G-30.2Y (x1) & 6GE-34Y-40P (x1) Kolbenkompressor in Tandemanordnung mit Freon-Betrieb. Komplett mit Druckschalter und Schauglas. Der Kompressor hat eine Förderleistung von 253,6 m<sup>3</sup>/h bei 50 Hz und 305,8 m<sup>3</sup>/h bei 60 Hz.



