

Bitzer 66G-60.2 Y / 6GE-34Y-40P (x2)

Specifications

Hersteller	Bitzer
Typ	66G-60.2 Y / 6GE-34Y-40P (x2)
Kältemittel	Freon
kW at -5°C/+40°C	168,0
kW at -10°C/+40°C	138,6
kW at -20°C/+40°C	91,1
kW at -30°C/+40°C	55,8
kW at -40°C/+40°C	30,3
kW at -45°C/+40°C	20,4
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Schauglass	✓
m ³ / h	253,6
Bemerkungen	Y.o.b. 2018 (s.nr: 1694304024)
Gewicht in kg.	491
Größe	1700x900x700 mm (LxWxH)
Stock	1



Description

Used Bitzer 66G-60.2 Y / 6GE-34Y-40P (x2)

Gebrauchter halbhermetischer Kolbenkompressor Bitzer 66G-60.2 Y in Tandemanordnung mit Freon. Komplett mit einem halbhermetischen Kolbenkompressor Bitzer 6GE-34Y-40P (x2), einem Ventilator Ziehl-Abegg FN031-4DZ.0C.A7P2 - 0,11/0,17 kW - 1420/1690 U/min - 50/60 Hz, einem Ventilator Hidria R09R-3132P-4T-3561 - 0,10/0,13 kW - 1380/1560 U/min - 50/60 Hz, Drucksicherheitsschaltern und Schaugläsern. Der Kompressor hat eine Förderleistung von 253,6 m³/h bei 50 Hz und 305,8 m³/h bei 60 Hz.





