

# Bitzer 6F-40.2Y (x2) & 6FF-80.2Y

## Specifications

Hersteller	Bitzer
Typ	6F-40.2Y (x2) & 6FF-80.2Y
Kältemittel	Freon
kW at -5°C/+40°C	202,0
kW at -10°C/+40°C	166,2
kW at -20°C/+40°C	108,5
kW at -30°C/+40°C	65,9
kW at -40°C/+40°C	35,1
kW at -45°C/+40°C	23,4
Leistungsregelung	✓
Auf einem Stahlrahmen	✓
Druckschalter	✓
Druckmanometer	✓
Schauglass	✓
Magnetventil	✓
Schaltschrank	✓
m <sup>3</sup> / h	50 Hz - 303,2 m <sup>3</sup> /h & 60 Hz - 362 m <sup>3</sup> /h
Package / Rack	✓
Größe	2550x2150x1800 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6F-40.2Y (x2) & 6FF-80.2Y

Gebrauchte Bitzer 6F-40.2Y (x2) und 6FF-80.2Y halbhermetische Kolbenkompressoren für Kältemittel. Komplett mit Druck- und Sicherheitsschaltern/Manometern, Vacon-Frequenzumrichter und Schaltschrank mit Siemens OP7-DP-Steuerung. Die Kompressoren haben eine Förderleistung von 303,2 m<sup>3</sup>/h bei 50 Hz und 362 m<sup>3</sup>/h bei 60 Hz.





