

# Bitzer 4N.2

## Specifications

Hersteller	Bitzer
Typ	4N.2
Kältemittel	Freon
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
kW at -45°C/+40°C	5,2
Anlaufentlastung	✓
Leistungsregelung	✓
Ölniveauregelung AC&R	✓
Magnetventil	✓
m <sup>3</sup> / h	27,0 m <sup>3</sup> /h at 700 RPM & 67,7 m <sup>3</sup> /h at 1750 RPM
Gewicht in kg.	170
Größe	1060x550x500 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4N.2

Gebrauchter Bitzer 4N.2 Kolbenkompressor (offene Bauart) mit Kältemittelzufuhr. Ausgestattet mit einem Leroy-Somer P160L-T Elektromotor (50 Hz, 15 kW, 1435 U/min), Leistungsregelung, Leerlaufanlauf und Ölstandsregler. Die Fördermenge beträgt 27 m<sup>3</sup>/h bei 700 U/min und 67,7 m<sup>3</sup>/h bei 1750 U/min.



