

Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)

Specifications

Hersteller	Dorin
Typ	K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)
Kältemittel	Freon
kW at -5°C/+40°C	431,1
kW at -10°C/+40°C	350,8
kW at -20°C/+40°C	223,8
kW at -30°C/+40°C	176,0
kW at -40°C/+40°C	98,5
Auf einem Stahlrahmen	✓
Druckschalter	✓
Ölabscheider	✓
Ölniveauregelung AC&R	✓
Flüssigkeitsfilter	✓
Schauglass	✓
Schaltschrank	✓
m ³ / h	789,0
Package / Rack	✓
Größe	2150x1550x2150 mm (LxWxH)
Stock	1



Description

Used Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)

Gebrauchte halbhermetische Kolbenkompressoren (Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)) mit Freon-Befüllung. Komplett mit Ölabscheidern, Ölbehältern, Druck- und Sicherheitsschaltern/Manometern sowie Schaltschrank. Die Kompressorleistung beträgt 789 m³/h. Die Anlage wurde ursprünglich für zwei separate Kühlräume eingesetzt.











