Bitzer 4H-25.2 package

Specifications

Hersteller	Bitzer
Typ	4H-25.2 package
Kältemittel	Freon
kW at +10ºC/+40ºC	86
kW at 0ºC/+40ºC	59.9
kW at -5ºC/+40ºC	49.3
kW at -10ºC/+40ºC	40.1
kW at -20ºC/+40ºC	25.3
kW at -30ºC/+40ºC	16.47
kW at -40ºC/+40ºC	8.82
Auf einem Stahlramen	✓
Druckmanometer	✓
Ölabscheider	✓
Schaltschrank	✓
Gewicht (kg) / Größen (mm)	
Bemerkungen |	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Package / Rack	✓
Stock	1

Description

Used Bitzer 4H-25.2 package

Gebrauchte Kompressoreinheit Bitzer 4H-25.2 Halbhermetischer Kolbenkompressor mit Bedienfeld. Freon-Kältemittel. Unsere Kapazitätstabelle basiert auf R22. Sie können diesen Kompressor auch für alternative Freon-Typen verwenden. Alle anderen technischen Daten finden Sie auf dem Bild auf dem Typenschild des Herstellers oder in der angehängten PDF-Datei (falls verfügbar). * Warum für HOSBV wählen? Wir waren nicht nur der größte Spezialist für gebrauchte Kältetechnik in Europa, sondern liefern auch alle

Geräte einschließlich umfassender Tests, Garantien und industrieller Reinigung. * Optional können wir auch die Logistik arrangieren.

KLIMATECHNIK



THERMOFROST
KLIMATECHNIK


BITZER KÜHLMASCHINENBAU GMBH&CO.KG
D7032 SINDELFINGEN, GERMANY
STORVERDICHTER
TYP
FABRIK.-NR.
PS/KW
m³/h
FÖRDERVOL.
BETR.-
STROM
ROTOR-
BLOCKIERT
IP 44
U/min
bar
MAX.BETR.Ü.DR.
ND/HD-SEITE





Penn
Penn
Penn