

Copeland ZR310KCE-TWD-522 (x3) cool package

Specifications

Hersteller	Copeland
Typ	ZR310KCE-TWD-522 (x3) cool package
Kältemittel	Freon
kW at +10°C/+40°C	272.01
kW at 0°C/+40°C	184.26
kW at -5°C/+40°C	149.22
kW at -10°C/+40°C	119.25
kW at -20°C/+40°C	72.03
Auf einem Stahlrahmen	✓
Bemerkungen	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Package / Rack	✓
Stock	4




Description

Used Copeland ZR310KCE-TWD-522 (x3) cool package

Gebrauchte Hermetic Scroll-Kompressoren von Copeland Typ ZR310KCE-TWD-522. Unsere Kapazitätstabelle basiert auf dem verwendeten Freontyp. Sie können diese Kompressoren auch für alternative Freon-Typen verwenden. Alle anderen technischen Daten (falls verfügbar) finden Sie auf dem Bild des Herstellermodells oder in der angehängten PDF-Datei. * Warum für HOSBV wählen? Wir waren nicht nur der größte Spezialist für gebrauchte Kältetechnik in Europa, sondern liefern auch alle Geräte einschließlich umfassender Tests, Garantien und industrieller Reinigung. * Optional

können wir auch einen neuen Anstrich
durchführen und die Logistik
organisieren.





Model: ZR310KCE-TWD
Capacity

Cooling capacity [kW]

1

t _c \ t _e	-20	-15	-10	-5	0	5	10	15
25	30.77	39.02	48.78	60.27	73.68	89.22	107.10	-
30	28.54	36.47	45.83	56.83	69.68	84.58	101.74	121.35
35	26.29	33.87	42.81	53.32	65.60	79.84	96.26	115.06
40	24.01	31.24	39.75	49.74	61.42	75.00	90.67	108.63
45	-	28.56	36.62	46.09	57.16	70.05	84.96	102.08
50	-	-	33.45	42.37	52.83	65.01	79.13	95.40
55	-	-	-	38.59	48.41	59.88	73.20	88.59
60	-	-	-	-	43.91	54.65	67.16	81.66
65	-	-	-	-	-	49.33	61.02	74.61

Power input [kW]

t _c \ t _e	-20	-15	-10	-5	0	5	10	15
25	11.06	11.27	11.51	11.79	12.11	12.46	12.85	-
30	12.30	12.46	12.66	12.91	13.20	13.53	13.90	14.32
35	13.79	13.89	14.04	14.24	14.49	14.79	15.14	15.54
40	15.56	15.60	15.69	15.84	16.04	16.29	16.60	16.97
45	-	17.62	17.64	17.73	17.87	18.07	18.33	18.66
50	-	-	19.94	19.95	20.02	20.16	20.36	20.64
55	-	-	-	22.55	22.54	22.60	22.74	22.95
60	-	-	-	-	25.46	25.44	25.49	25.63
65	-	-	-	-	-	28.70	28.67	28.72