

Helpman LFX 306

Specifications


Hersteller	Helpman
Typ	LFX 306
Kälteleistung kW	50.4
Kältemittel	Freon
Anzahl der Ventilatoren	6
Ventilator Durchmesser in mm	7
Abtauung	None
Luftdurchsatz in m³/h	28000
Größe	4960x820x690 mm (LxWxH)
Volume	62 dm³
Gewicht	320 kg
Stock	2





Description

Used Helpman LFX 306

Used Helpman LFX 306 evaporator with hot gas defrosting. 6 ATB fans 50 Hz - 0,22 kW - 1330RPM - diameter 450mm. *All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipmen





Technische gegevens

Type	Nominiaal koelvermogen $t_0 = -7.5^\circ\text{C}$ $t_{\text{vm}} (\Delta t) = 10\text{ K}$	Ventilatoren 50 Hz						Elektrische ontdooing			
		luchthoe- veelheid	aan- tal	dia- meter	vermogen:		opgenomen*	aantal		ontdooi- vermogen	
					220/1	380/3		elementen			
	R22 kW	m ³ /h		mm	W	W	W	blok lekbak		kW	kW**
LFX 103	8.6	4500	3	305	30	30	100	2	1	4.2	
LFX 104	12.8	6000	4	305	30	30	100	2	1	6.9	
LFX 105	16.6	7500	5	305	30	30	100	2	1	9.6	
LFX 106	18.9	9000	6	305	30	30	100	2	1	10.8	
LFX 205	19.5	13100	5	356	70	90	160	4	2	12.0	9.0
LFX 207	33.6	18300	7	356	70	90	160	4	2	16.5	12.4
LFX 304	35.3	18700	4	457	220	250	380	10	2	24.0	18.0
LFX 305	39.4	23300	5	457	220	250	380	10	2	33.0	24.7
LFX 306	50.4	28000	6	457	220	250	380	10	2	33.0	24.7
LFX 405	57.2	29200	5	508	220	250	430	10	2	33.0	24.7
LFX 406	63.5	35100	6	508	220	250	430	10	2	33.0	24.7

* Gemeten bij een luchttemperatuur van 20 °C en luchtdoorlaat voor 75% geblokkeerd.

** Verlaagd ontdooivermogen zie hieronder