

Thermotec PB03-W

Specifications


Hersteller	Thermotec
Typ	PB03-W
Product type	Water Cooled Chiller
Kälteleistung kW	69,2
Kälteleistung Tons	19,7
Kältemittel	Freon
Kältemittel Typ	R410A
Liquid buffer tank	✓
Pump	✓
Gewicht in kg.	780
Compressor(s) type & model	Copeland ZP154KCE-TFD-455 (x2)
Display	Carel pco5
Bemerkungen	1x pump CR32-3 with 32 m3/h
Remarks	YOB 2016
Remarks	tank volume 600 Liter
Stock	1



Description

Used Thermotec PB03-W

So gut wie der neue wassergekühlte Kühler Thermotec Modell PB03-W Serie 16C003, Baujahr 2016. Komplette mit 2 Copeland ZP154KCE-TFD-455 Spiralverdichtern. Flüssigkeitspuffertank 600 ltr und eine Pumpe CR32-3 mit 32 m3/h.





97702205	3~MOT		MG132SB2-38FF265-H3	
	P ₂ 7,50 kW		2 - pole/ S1 No.85U17522	
	50Hz	Δ/Y	U 380-415/660-690 V	
			I ₁ 14,4-14,0/8,30-8,10A	
			I _{max} 15,8-15,4/9,15-8,90A	
	cos φ 0,88-0,82		n 2910-2920min ⁻¹	
	Eff. IE3 90,1%			
	60Hz	Δ/Y	U 380-480/660-690 V	
			I ₁ 14,2-12,0/8,20-8,10A	
			I _{max} 15,6-13,2/9,00-8,90A	
		cos φ 0,90-0,82		n 3490-3530min ⁻¹
		Eff. IE2 89,5% - IE3 90,2%		

Type	CR32-4 A-F-A-E-H00E			
Model	B96122013P11619			
f	50	Hz	P2	7,50 kW
n	2919	min ⁻¹	H _{max}	77.8 m
Q	30	m ³ /h	H	59.1 m
p _{max} /t _{max}		16/120	bar/°C	CCW
Serial No.		0008	Made in Denmark	
		CE EAC		GRUNDFOS
MEI ≥		0.7	η _p (%)	76,1
DK-6850 Bjerringbro, Denmark				

