

DWM D8DH5-500X-AWM/D Tank aggregate

Specifications

Brand	DWM
Type	D8DH5-500X-AWM/D Tank aggregate
Refrigerant	Freon
kW at 0°C/+40°C	124,3
kW at -5°C/+40°C	103,4
kW at -10°C/+40°C	85,3
kW at -20°C/+40°C	56,1
kW at -30°C/+40°C	34,5
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	390
Liquid line filter drier	✓
Control panel	✓
m3 / h	151,0
Sizes	2450x1500x1450 mm (LxWxH)
Stock	1



Description

Used DWM D8DH5-500X-AWM/D Tank aggregate

Used tank aggregate with DWM D8DH5-500X-AWM/D semi hermetic compressor. Liquid receiver Stahlbau hopfgarten 390 ltr. Complete with liquid line filters, control panel and safety pressure switches and gauges.
 *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
 *Optional we can also perform a new paint job and arrange the logistics.



