

# Sabroe SAB 163 HM mk4

## Specifications

|                          |                              |
|--------------------------|------------------------------|
| Brand                    | Sabroe                       |
| Type                     | SAB 163 HM mk4               |
| Refrigerant              | NH 3 (ammonia)               |
| kW at -5°C/+40°C         | 474,4                        |
| kW at -10°C/+40°C        | 386,8                        |
| kW at -20°C/+40°C        | 298,7                        |
| kW at -30°C/+40°C        | 184,5                        |
| kW at -40°C/+40°C        | 106,1                        |
| Electromotor Specs       | 132 kW                       |
| Unloaded Start           | ✓                            |
| Capacity Control         | ✓                            |
| On steel base frame      | ✓                            |
| Pressure safety switches | ✓                            |
| Hp/Lp/Op                 |                              |
| Pressure gauges          | ✓                            |
| Hp/Lp/Op                 |                              |
| Oil separator            | ✓                            |
| Sight Glass              | ✓                            |
| Sizes                    | 2550x1350x1900 mm<br>(LxWxH) |
| Stock                    | 2                            |



## Description

### Used Sabroe SAB 163 HM mk4

Used Compressor unit Sabroe SAB 163 HM. This compressor unit has the following components: Sabroe SAB 163 HM screw compressor, electromotor Schorch KN7280M-AB01B-Z (132 kW at 2970 RPM), oil Separator Sabroe OHU 4123D 410 Liter, oil Cooler Vahterus 3HH-104/2/2 and a control panel.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.





