

Your partner for used commercial and industrial refrigeration equipment

Bitzer 6G-40.2

Specifications

Brand	Bitzer
Туре	6G-40.2
Refrigerant	Freon
kW at 0ºC/+40ºC	102,6
kW at -5ºC/+40ºC	85,4
kW at -10ºC/+40ºC	70,3
kW at -20ºC/+40ºC	46,0
kW at -30ºC/+40ºC	28,0
kW at -40ºC/+40ºC	14,9
Capacity Control	✓
Pressure safety switches	1
Hp/Lp/Op	
Sight Glass	✓
m3 / h	126,8
Sizes	800x480x480 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 6G-40.2

Used Bitzer 6G-40.2 semi-hermetic reciprocating compressor, with capacity control, sight glasses and pressure safety switches. Capacity based on R404A. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment







1	Jitzen >>	BITZER	KÜHLMASCH SINDELFING	INÈNBAU EN, GER	GMBH	&CO. KG
DTORVE	RDICHTER	TYP	88-411.2	188 1	195	FABRIKNR
R	07/95	PS/KW	40.130	126.8	m3/h	FÖRDERVOL
31	30-420	BETR-	- A	180		ROTOR-
VAA 3	80-420	STROM	78 · A	323		BLOCKIERT
34142 3~		11P 54	1,450 /		U/min	
and the second second)F.Ü.DR. 32	5 bar	19.50	2.5 bar	MAX.BEI	



Your partner for used commercial and industrial refrigeration equipment

