

Bitzer 44J-26.2Y-40P Tank aggregate

Specifications

Brand	Bitzer
Туре	44J-26.2Y-40P Tank
	aggregate
Refrigerant	Freon
kW at -5°C/+40°C	85,6
kW at -10°C/+40°C	70,5
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	15,0
kW at -45°C/+40°C	10,80
Electromotor Specs	10,0
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	/
Liquid receiver ltr.	54 L
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	63,5
Remarks	Y.o.b. 2007
Sizes	1770x640x887 mm
	(LxWxH)
C	
Stock	1



Description

Used Bitzer 44J-26.2Y-40P Tank aggregate

Used Bitzer Tank aggregate. Complete with two Bitzer 44J-26.2Y-40P compressor, liquid line filter drier, liquid receiver, oil separator, sight glass and pressure safety switches.
*Why choose for HOSBV? Were not only

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment





