

### Alfa Laval TR-B-24.8-12-275-H1

### **Specifications**

| Brand           | Alfa Laval          |  |  |
|-----------------|---------------------|--|--|
| Туре            | TR-B-24.8-12-275-H1 |  |  |
| kW              | 49,0                |  |  |
| Refrigerant     | Freon               |  |  |
| Number of Fans  | 2                   |  |  |
| Fin Space in mm | 12                  |  |  |
| Defrosting      | Hot Gas             |  |  |
| Sizes           | 3110x1400x1260 mm   |  |  |
|                 | (LxWxH)             |  |  |
| Remarks         | Y.o.b. 2009         |  |  |
| Volume          | 142 dm <sup>3</sup> |  |  |
| Weight          | 524 kg.             |  |  |
| Stock           | 1                   |  |  |



#### **Description**

Used Alfa Laval TR-B-24.8-12-275-H1

Used Alfa Laval TR-B-24.8-12-275-H1 Freon evaporator. Complete with 2 Siemens fans - 50 Hz - 2,2 kW - 1420 RPM with a diameter of 800 mm. \*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



## Your partner for used commercial and industrial refrigeration equipment





| TALF                  |   | Peizerw<br>Fel. ++31 50 5 | 217555 /   | <b>Laval Groningen E</b><br>27 AJ Groningen (N<br>Fax ++31 50 526487 |  |
|-----------------------|---|---------------------------|------------|--|--|
| 2.0                   |   | www.a                     | falaval.co | oningen@alfalaval.co<br>m / www.helpman.co                           |  |
| Туре                  | TR-B-24.8-12-275-H1/6-G2-SPEC           |                           |            |  |  |
| Serial number         | 584681-390759-114297                    |                           |            |  |  |
| Refrigerant           | R22/R134a/R404A/R401B/R407C/R417A/R507A |                           |            |  |  |
| Design temp (TS)      | -55/63                                  | °C min/max                | Voltage    | 230/400/50/3   |  |
| Design pressure (PS)  | -1/33                                   | bar min/max               | Year       | 2009   |  |
| Total internal volume | 142                                     | 1                         |            | 11   |  |
| Weigth (empty)        | 524                                     | ka                        |            |  |  |







# Your partner for used commercial and industrial refrigeration equipment





HOS BV

www.hosbv.com

info@hosbv.com