

Carrier 30 HXC 155-A0125-PEE

Specifications

Brand	Carrier
Type	30 HXC 155-A0125-PEE
Product type	Water Cooled Chiller
Capacity kW	455,0
Capacity Tons	129,4
Refrigerant	Freon
Refrigerant Type	R134A
Weight in kg.	2548 (net weight)
Sizes	3250x1000x1820 mm (LxWxH)
Compressor(s) type & model	1x Carlyle 06NA2300S5NC-A00 & 1x Carlyle 06NA2250S7NA-A00
Display	Pro-Dialog plus
Remarks	Y.O.B. 2003
Stock	1



Description

Used Carrier 30 HXC 155-A0125-PEE

Used Carrier 30HXC140 901-AEE watercooled chiller. Complete with 1 Carlyle 06NA2300S5NC & 1 Carlyle 06NA2250S7NA-A00 screw compressors. Shell & tube evaporator/exchanger 91 ltr. with a Condensor containing a volume of 110 liter and liquid line filter driers. Complete with certificates.

*All components of this used chiller will be tested on good working, leak free condition (condensing blocks), compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



1 - NUMERO DE SÉRIE SERIAL NUMBER	12Q304562
2 - MODÈLE - MODEL	80HXC155-A0125-PEE--
3 - VARIANTE - VARIANT	80HXC
4 - ANNÉE DE FABRICATION ET DATE D'ESSAI YEAR OF MANUFACTURING AND TEST DATE	2003/04/02
5 - FLUIDE - MEDIUM	R134A
6 - GROUPE - GROUP	2
7 - CHARGES CIRCUIT A	54.0 kg
8 - CHARGES CIRCUIT B	57.0 kg
9 - FLUIDE DE CONFINEMENT CONFINEMENT MEDIUM	22 - AZOTE - NITROGENE
10 - PRESSION ADMISSIBLE MIN/MAX ALLOWABLE PRESSURE MIN/MAX	21 - HAUTE PRESSION HIGH PRESSURE
11 - TEMPÉRATURES ADMISSIBLE MIN/MAX ALLOWABLE TEMPERATURE MIN/MAX	22 - BASSE PRESSION LOW PRESSURE
12 - PRESSION DE DÉTACHEMENT DES PRESSOSTATS PRESSURE SHUT-OFF SETTING	23 - AZOTE - NITROGENE
13 - PRESSION DE DÉTACHEMENT DES SOUPAPES SAFETY RELIEF VALVE SETTING	24 - HAUTE PRESSION HIGH PRESSURE
14 - PRESSION D'ESSAI D'ÉTANCHÉITÉ DE L'UNITÉ UNIT LEAK TEST PRESSURE	25 - BASSE PRESSION LOW PRESSURE
15 - TENSION VOLTAGE	26 - HAUTE PRESSION HIGH PRESSURE
16 - FREQUENCE FREQUENCY	27 - BASSE PRESSION LOW PRESSURE
17 - PRESSION ALIMENTAIRE MAX MAX POWER INPUT	28 - HAUTE PRESSION HIGH PRESSURE
18 - PNEU - NET NET WEIGHT	29 - BASSE PRESSION LOW PRESSURE





