

# Bitzer 4T.2 Condensing unit

## Specifications

Brand	Bitzer
Type	4T.2 Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	33,1
kW at -5°C/+40°C	27,6
kW at -10°C/+40°C	22,8
kW at -20°C/+40°C	12,1
kW at -30°C/+40°C	9,4
kW at -40°C/+40°C	5,2
kW at -45°C/+40°C	3,7
On steel base frame	✓
Liquid receiver	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	47,4
Condensing Unit	✓
Sizes	1940x750x1240 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4T.2 Condensing unit

Used Bitzer 4T.2 Condensing unit on Freon. Complete with 1 Bitzer 4T.2 Open-type reciprocating compressor, condenser with 3 fans - 50 Hz - 0,15 kW - 1500 RPM - Diameter 400 mm, liquid receiver, liquid line filter drier and a control box.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.  
\*If requested we are happy to arrange your shipment.





