

Bitzer 4FC-5.F1Y-40S

Specifications

Brand	Bitzer
Туре	4FC-5.F1Y-40S
Product type	Air Cooled Chiller (split-
	unit)
Capacity kW	23,6
Capacity Tons	6,7
Refrigerant	Freon
Refrigerant Type	R404a
Liquid buffer tank	✓
Pump	✓
Weight in kg.	250
Sizes	2350x1370x2050 mm
	(LxWxH)
Compressor(s) type &	Bitzer 4FC-5.F1Y-40S
model	
Remarks	Y.o.b. 2010
Remarks	Capacity of 1.400 ltr/h
	cold water 17°C to 2/4°C
Stock	1



Description

Used Bitzer 4FC-5.F1Y-40S

Used Bitzer 4FC-5.F1Y-40S split water chiller. Complete with a Bitzer 4FC-5.F1Y-40S varispeed semihermetic reciprocating compressor with liquid receiver 20 ltr and liquid line filter. Water reservoir made out of sanwich panels 70 mm with a volume of 1.500 ltr, inside a plate heat exchanger Alfa Laval AC-70X-50M. WILO pump and pressure and safety switches/gauges. Capacity based on $(+2^{\circ}C/+40^{\circ}C)$. Total capacity of 1.400 ltr/h cold water 17°C to 2/4°C. *All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can

HOS BV

www.hosbv.com

info@hosbv.com



arrange your shipment.











BITZER I	KÜHLMA: Made	SCHIN B in E.C		C. Sont	S.Nr. 1	FC-5.F 67890	1 Y- 40S 1307	
Nennspannung		Frequ.	Max.Be	tr.strom	Anlaufstrom		Fördervol.	Drehzah
V A 3Ph-	VY 3Ph~	Hz	$A(\Delta)$	A (Y)	$A(\Delta)$	A (Y)	m³/h	min ⁻¹
220-240	380-420	50	18,7	10,8	107,7	62,2	18,1	1450
265-290	440-480	60	18,7	10,8	107,7	62,2	21,8	1750
IP 65 NE	MHD max.	19 /	28 bar]				(















W/LO
TYPE WJ-204-X-EM/B
ArtNo. 4143999/13w39/227373
Q max 4.8 m ³ /h H max 50 m
230 V 1~ 50 Hz 35 °C
6.2 A IP X4
P1= 1.3 kW Capacitor 30 μF
Motor IP 44 Class B 2850 min ⁻¹
LpA≤70 dBA / R:1m - H:1m Made in PRC WILO SE NortkirchenstraBe 100 44263 Dortmund Germany











www.hosbv.com

info@hosbv.com



