

Bitzer 6H-35.2Y Tank aggregate

Specifications

Brand	Bitzer
Type	6H-35.2Y Tank aggregate
Refrigerant	Freon
kW at 0°C/+40°C	89,3
kW at -5°C/+40°C	74,1
kW at -10°C/+40°C	60,9
kW at -20°C/+40°C	39,6
kW at -30°C/+40°C	23,8
kW at -40°C/+40°C	12,5
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	89L
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	110,5
Sizes	1550x760x1190 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H-35.2Y Tank aggregate

Used Bitzer tank aggregate with a 6H-35.2Y semi-hermetic reciprocating compressor. Complete with a liquid receiver 89 Liter with liquid line filter drier, oil separator and sight glasses. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if they passed our extensive test. If requested we are happy to arrange your shipment.



