

Prestcold P3D150X (x1) / PL40X (2x) / P3D100X (x1)

Specifications

Brand	Prestcold
Type	P3D150X (x1) / PL40X (2x) / P3D100X (x1)
Refrigerant	Freon
kW at 0°C/+40°C	105,0
kW at -5°C/+40°C	87,3
kW at -10°C/+40°C	71,7
kW at -20°C/+40°C	46,7
kW at -30°C/+40°C	28,5
kW at -40°C/+40°C	15,3
On steel base frame	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Remarks	Y.O.B. 2002
Package / Rack	✓
Sizes	2800x1240x2250 mm (LxWxH)
Stock	1



Description

Used Prestcold P3D150X (x1) / PL40X (2x) / P3D100X (x1)

Used Prestcold soundproof compressor unit. Complete with Prestcold P3D150x (1x), PL40x (2x), p3d100x (1x) compressors, Oil separator, Oil level system AC&R, Liquid line filter drier, Sight Glass and Danfoss Adap-Kool AKA 245 084B2268.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





